



Designation	Dimensions						A	Dimensions for detailing		Surface	
	G <i>kg/m</i>	h <i>mm</i>	b <i>mm</i>	$t_w$ <i>mm</i>	$t_f$ <i>mm</i>	r <i>mm</i>		$h_i$ <i>mm</i>	d <i>mm</i>	AL <i>m<sup>2</sup>/m</i>	Ag <i>m<sup>2</sup>/t</i>
IPE 100	6.9	100	55	4.1	5.7	7	10.32	88.6	74.6	0.400	49.33
IPE 120	10.4	120	64	4.4	6.3	7	13.21	107.4	93.4	0.475	45.82
IPE 140	12.9	140	73	4.7	6.9	7	16.43	126.2	112.2	0.551	42.70
IPE 160	15.8	160	82	5	7.4	9	20.09	145.2	127.2	0.623	39.47
IPE 180	18.8	180	91	5.3	8	9	23.95	164	146	0.698	37.13
IPE 200	22.4	200	100	5.6	8.5	12	28.48	183	159	0.768	34.36
IPE 220	26.2	220	110	5.9	9.2	12	33.37	201.6	177.6	0.848	32.36
IPE 240	30.7	240	120	6.2	9.8	15	39.12	220.4	190.4	0.922	30.02
IPE 270	36.1	270	135	6.6	10.2	15	45.95	249.6	219.6	1.041	28.86
IPE 300	42.2	300	150	7.1	10.7	15	53.81	278.6	248.6	1.160	27.46
IPE 330	49.1	330	160	7.5	11.5	18	62.61	307	271	1.254	25.52

Figures given here are given for guidance purposes only. While care has been taken to ensure accuracy Duggan Steel (Ir) Ltd. and its related companies do not accept liability for errors / or omissions. Customers should satisfy themselves of the suitability of the products supplied for the use intended.