

DUGGAN STEEL GROUP Ltd.

 Telephone:
 +353-56-7722485

 Facsimile:
 +353-56-7763411

 E-mail:
 sales@steel.ie

## **Declaration of Performance**

No. DP101

| Туре:  | Shot blasted material to IS08501 sa25 and E1090-2:2018   |
|--|--|
| Intended use/s:                                    | Structural metallic construction components intended for use<br>in steel structures or composite steel and concrete structures<br>where the components can be made from hot rolled, cold-<br>formed or with other technologies produced sections/profiles<br>with various shapes, flat products (plates, sheet, strip), bars,<br>castings, forgings made of steel materials. |
| Manufacturer:                                      | Duggan Steel (Irl.) Ltd<br>Tullamaine, Callan, Co. Kilkenny<br>Registration No. 53853<br>V.A.T. No. IE 9Z27034F  |
| System of assessment and verification of constancy |  |
| of performance:                                    | System 2+  |
| Notified Body:                                     | NSAI   |
|  | 1 Swift Square<br>Northwood Business Park  |
|  | Santry   |
|  | Dublin 9.  |
| Notified Body No:                                  | 0050   |

National Standard Authority of Ireland has performed (i) initial inspection of the manufacturing plant and factory product control and (ii) continuous surveillance, assessment and evaluation of factory production control and issued Factory Production Control certificate

0050-CPR-0894

## STEEL GROUP

DUGGAN STEEL GROUP Ltd.

 Telephone:
 +353-56-7722485

 Facsimile:
 +353-56-7763411

 E-mail:
 sales@steel.ie

| Essential Performance <sup>1</sup> Harmonised |   |               |
|---|---|---------------|
|   | renormance                                      | technical     |
| characteristics                               |   |               |
|   |   | specification |
| Tolerances on                                 | E1090-2:2018                                    | EN 1090-1:    |
| dimensions and                                |   | 2009 + A1:    |
| shape   |   | 2011          |
| Weldability                                   | EN 10025-2; S235, S275, S355                    | EN 1090-1:    |
|   | EN 1021-1/EN 10219-1 : S235,S275, S355, S420,   | 2009 + A1:    |
|   | S460  | 2011          |
| Fracture                                      | EN10025-2/EN10210-1/EN 10219-1:                 | EN 1090-1:    |
| toughness/impact                              | JR(H) 27 J @ 20°C:                              | 2009 + A1:    |
| resistance                                    | JO(H) 27 J @ 0°C:                               | 2011          |
|   | J2(H) 27 J @ -20°C:                             |               |
|   | K2(H) 40 J @ -20°C:                             |               |
|   | NH, NLH, MH, MLH 40 J @ -20°C:                  |               |
|   | &27J@-50°C                                      |               |
| Load bearing                                  | NPD   | EN 1090-1:    |
| capacity                                      |   | 2009 + A1:    |
| eupuency                                      |   | 2011          |
| Fatigue strength                              | NPD   | EN 1090-1:    |
| 1 million suronigen                           |   | 2009 + A1:    |
|   |   | 2011          |
| Resistance to fire                            | NPD   | EN 1090-1:    |
|   |   | 2009 + A1:    |
|   |   | 2011          |
| Reaction to fire                              | Class A1(Steel only)                            | EN 1090-1:    |
|   |   | 2009 + A1:    |
|   |   | 2011          |
| Release of                                    | NPD   | EN 1090-1:    |
| cadmium and its                               |   | 2009 + A1:    |
| compounds                                     |   | 2011          |
| · · · · · · · · · · · · · · · · · · ·         |   |               |
| Radioactivity                                 | NPD   | EN 1090-1:    |
|   |   | 2009 + A1:    |
| D 1 11  |   | 2011          |
| Durability                                    | Surface preparation to BS EN 1090-2 preparation | EN 1090-1:    |
|   | grade P3  | 2009 + A1:    |
|   |   | 2011          |

<sup>1</sup> These characteristics should be interpreted in accordance with the Component Specification

The performance of the product identified above is in conformity with the declared performance identified in the table.

Signed for and on behalf of Duggan Steel Ireland Ltd.. by: John Moore - Managing Director

11/10/2021

cone

Date of issue

(Signature)